

Package ‘diggitdata’

May 21, 2026

Type Package

Title Example data for the diggit package

Version 1.45.0

Date 2014-08-29

Author Mariano Javier Alvarez

Maintainer Mariano Javier Alvarez <reef103@gmail.com>

Description This package provides expression profile and CNV data for glioblastoma from TCGA, and transcriptional and post-translational regulatory networks assembled with the ARACNe and MINDy algorithms, respectively.

License GPL (>=2)

Depends R(>= 2.14.0), Biobase, methods

Imports viper

LazyLoad yes

biocViews ExperimentData, Cancer

git_url <https://git.bioconductor.org/packages/diggitdata>

git_branch devel

git_last_commit 0300b11

git_last_commit_date 2026-04-28

Repository Bioconductor 3.24

Date/Publication 2026-05-21

Contents

diggitdata-package	2
gbm.aracne	2
gbm.cnv	3
gbm.cnv.normal	3
gbm.expression	3
gbm.mindy	4
Index	5

diggitdata-package *Datasets and network models required for the examples in the diggit package*

Description

This package contains a human glioblastoma mRNA expression dataset, a human glioblastoma copy number variation (CNV) dataset, a glioblastoma context-specific transcriptional network, and a glioblastoma context-specific post-translational network.

Details

Package: diggitdata
Type: Package
Version: 0.99.0
Date: 2014-08-29
License: GPL (>=2)
LazyLoad: yes

Author(s)

Mariano Javier Alvarez

Maintainer: Mariano Javier Alvarez <reef103@gmail.com>

gbm.aracne *Transcriptional regulatory network for human glioblastoma*

Description

Human glioblastoma transcriptional regulatory network assembled by the ARACNe algorithm from TCGA expression data. The data is stored in a S3 class 'regulon' object.

Usage

```
data(gbm.aracne)
```

References

Margolin,A.A. et al. (2006) ARACNE: an algorithm for the reconstruction of gene regulatory networks in a mammalian cellular context. BMC Bioinformatics, 7 Suppl 1, S7.

Examples

```
data(gbm.aracne)  
print(gbmTFregulon)
```

gbm.cnv	<i>Human glioblastoma TCGA copy number variation (CNV) dataset</i>
---------	--

Description

Normalized CNV data, summarized at the gene level, for 230 samples from TCGA profiled by Agilent HG-CGH-244A arrays. The CNV data is in a matrix format, with samples in columns and genes in rows.

Usage

```
data(gbm.cnv)
```

Examples

```
data(gbm.cnv)
print(gbmCNV[1:5, 1:5])
```

gbm.cnv.normal	<i>Human normal blood TCGA copy number variation (CNV) dataset</i>
----------------	--

Description

Normalized CNV data, summarized at the gene level, for 33 blood samples from TCGA profiled by Agilent HG-CGH-244A arrays. The CNV data is in a matrix format, with samples in columns and genes in rows.

Usage

```
data(gbm.cnv.normal)
```

Examples

```
data(gbm.cnv.normal)
print(gbmCNVnormal[1:5, 1:5])
```

gbm.expression	<i>Human glioblastoma mRNA expression dataset from TCGA</i>
----------------	---

Description

ExpressionSet object containing cleaner summarized and mas5 normalized mRNA expression data from 250 human glioblastoma samples profiled by TCGA on HT-HGU133A arrays.

Usage

```
data(gbm.expression)
```

References

Alvarez,M.J. et al. (2009) Correlating measurements across samples improves accuracy of large-scale expression profile experiments. *Genome Biol.*, 10, R143.

Examples

```
data(gbm.expression)
print(gbmExprs)
```

gbm.mindy

Post-translational regulatory network for human glioblastoma

Description

Human glioblastoma post-translational regulatory network assembled by the MINDy algorithm from TCGA expression data. The data is stored in a S3 class 'regulon' object.

Usage

```
data(gbm.mindy)
```

References

Wang,K. et al. (2009) Genome-wide identification of post-translational modulators of transcription factor activity in human B cells. *Nat. Biotechnol.*, 27, 829-39.

Examples

```
data(gbm.mindy)
print(gbmMindy)
```

Index

* datasets

- gbm.aracne, [2](#)
- gbm.cnv, [3](#)
- gbm.cnv.normal, [3](#)
- gbm.expression, [3](#)
- gbm.mindy, [4](#)

- diggitdata (diggitdata-package), [2](#)
- diggitdata-package, [2](#)

- gbm.aracne, [2](#)
- gbm.cnv, [3](#)
- gbm.cnv.normal, [3](#)
- gbm.expression, [3](#)
- gbm.mindy, [4](#)
- gbmCNV (gbm.cnv), [3](#)
- gbmCNVnormal (gbm.cnv.normal), [3](#)
- gbmExprs (gbm.expression), [3](#)
- gbmMindy (gbm.mindy), [4](#)
- gbmTFregulon (gbm.aracne), [2](#)