

Package ‘NFLSimulator’

July 21, 2025

Type Package

Title Simulating Plays and Drives in the NFL

Version 0.4.0

Maintainer Ryan Elmore <Ryan.Elmore@du.edu>

Description The intent here is to enable the simulation of plays/drives and evaluate game-play strategies in the National Football League (NFL). Built-in strategies include going for it on fourth down and varying the proportion of passing/rushing plays during a drive. The user should be familiar with nflscrapR data before trying to write his/her own strategies. This work is inspired by a blog post by Mike Lopez, currently the Director of Data and Analytics at the NFL, Lopez (2019) <<https://statsbylopez.netlify.app/post/resampling-nfl-drives/>>.

License MIT + file LICENSE

Encoding UTF-8

Imports data.table, progress, nflfastR

Depends R (>= 3.5.0)

RoxygenNote 7.2.1

URL <https://github.com/rtelmore/NFLSimulator/>

BugReports <https://github.com/rtelmore/NFLSimulator/issues/>

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Ryan Elmore [cre, aut] (ORCID: <<https://orcid.org/0000-0002-0092-4532>>),
Ben Williams [aut] (ORCID: <<https://orcid.org/0000-0001-8474-5066>>),
Will Palmquist [aut] (ORCID: <<https://orcid.org/0000-0002-6100-0923>>)

Repository CRAN

Date/Publication 2022-08-19 14:00:05 UTC

Contents

down_distance_updater	2
expected_pts_fourth	3
prep_pbp_data	4
sample_drives	4
sample_fourth_down_strategy	5
sample_passes_rushes_strategy	6
sample_play	7

Index	9
--------------	----------

down_distance_updater *Update the down and distance of a drive*

Description

The down and distance updater will run a play and update various game-based statistics accordingly.

Usage

```
down_distance_updater(
  what_down,
  yards_to_go,
  yards_from_own_goal,
  play_by_play_data,
  ...
)
```

Arguments

`what_down` The current down (1st, 2nd, 3rd, or 4th down)

`yards_to_go` Number of yards to go until a first down or TD

`yards_from_own_goal`
 The number of yards from the possession team's own goal

`play_by_play_data`
 A data file from nflscrapR prepped using the `prep_pbp_data.R` function

`...` Additional arguments for different strategies

Value

A data.frame object

Examples

```
## Not run:
down_distance_updater(what_down = 1,
                      yards_to_go = 10,
                      yards_from_own_goal = 25,
                      play_by_play_data = pbp_data,
                      strategy = "normal")

## End(Not run)
```

expected_pts_fourth *Decision for 4th downs based on expected points*

Description

This function will return the expected points for several 4th down decision. The options are "go for it", "field goal", or "punt". This should be primarily used within the 'NFLSimulator::sample_play()' function.

Usage

```
expected_pts_fourth(yards_from_goal, yards_to_go, play_data)
```

Arguments

yards_from_goal	The number of yards until a team scores a touchdown
yards_to_go	Number of yards to go until a first down or TD
play_data	A data file from nflscrapR prepped using the prep_pbp_data.R function

Value

A data.frame of the expected points of three fourth down options

Examples

```
## Not run:
expected_pts_fourth(what_down = 1,
                   yards_to_go = 10,
                   yards_from_own_goal = 25,
                   play_by_play_data = reg_pbp_2018)

## End(Not run)
```

```
prep_pbp_data          Add necessary columns to nflscrapR data
```

Description

Add necessary columns to nflscrapR data

Usage

```
prep_pbp_data(data)
```

Arguments

data An nflscrapR or nflfastR data set. Note that stringsAsFactors = FALSE is assumed.

Value

a data.table object

Examples

```
## Not run:
dt <- prep_pbp_data(nflscrapr_pbp_data)

## End(Not run)
```

```
sample_drives          Sample a Series of Drives, a strategy to test verses the normal strategy
```

Description

Sample a Series of Drives, a strategy to test verses the normal strategy

Usage

```
sample_drives(
  n_sims,
  from_yard_line = 25,
  play_by_play_data,
  strategy = "normal",
  single_drive = FALSE,
  progress = TRUE,
  ...
)
```

Arguments

n_sims	The number of simulations
from_yard_line	The starting field position (defaults to 25)
play_by_play_data	A data file from nflscrapR prepped using the prep_pbp_data.R function
strategy	"normal", "passes_rushes", or "fourth_downs"
single_drive	TRUE indicates only a single drive, otherwise, drives sampled until a score occurs
progress	logical for inclusion of a progress bar
...	Additional arguments for different strategies

Value

A data.frame of drives

Examples

```
## Not run:  
sample_drives(2, 25, dt)  
  
## End(Not run)
```

sample_fourth_down_strategy

Sample NFL play-by-play data with a specified 4th down strategy

Description

This function will return a sample play from the nflscrapR play-by-play data for a given down, distance, yards from the team's goal, using a given strategy on fourth down. The strategies are: empirical, always going for it on fourth down, never going for it on fourth down, go for it if one is less than a certain distance from a first down/touchdown, and go for it if it maximizes one's expected points. This should be primarily used within the 'NFLSimulator::sample_play()' function.

Usage

```
sample_fourth_down_strategy(  
  what_down,  
  yards_to_go,  
  yards_from_own_goal,  
  window_yards_from_own_goal = 1,  
  play_by_play_data,  
  fourth_down_strategy = "empirical",  
  yards_less_than = 5  
)
```

Arguments

what_down	The current down (1st, 2nd, 3rd, or 4th down)
yards_to_go	Number of yards to go until a first down or TD
yards_from_own_goal	The number of yards from the possession team's own goal
window_yards_from_own_goal	Precision parameter for "yards_from_own_goal" (a value of 1 means the sampling will occur within plus or minus 1 of the "yards_from_own_goal" value)
play_by_play_data	A data file from nflscrapR prepped using the prep_pbp_data.R function
fourth_down_strategy	The specific fourth down strategy 'empirical', 'always_go_for_it', 'never_go_for_it', 'yds_less_than', 'exp'
yards_less_than	Parameter for 'yds_less_than' strategy. If using 'yds_less_than' strategy and one is less than 'yards_less_than' yards from first down/touchdown, then go for it on fourth down

Value

A tibble containing lots of info

Examples

```
## Not run:
sample_fourth_down_strategy(what_down = 3,
                            yards_to_go = 2,
                            yards_from_own_goal = 45,
                            window_yards_from_own_goal = 2,
                            play_by_play_data = reg_pbp_2018,
                            fourth_down_strategy = "empirical")

## End(Not run)
```

```
sample_passes_rushes_strategy
```

Sample NFL play-by-play data with a specified blend of rushing and passing

Description

This function will return a sample play from the nflscrapR play-by-play data for a given down, distance, yards from the team's goal, using a given pass/rush play strategy. The user may choose a value for the proportion of passing plays to be sampled. Thus one can test strategies in which the team always passes, always runs, or some distribution of the two. This strategy is only intended for downs 1 - 3, and uses an empirical strategy for fourth downs. This should be primarily used within the 'NFLSimulatorR::sample_play()' function.

Usage

```
sample_passes_rushes_strategy(
  what_down,
  yards_to_go,
  yards_from_own_goal,
  window_yards_from_own_goal = 1,
  play_by_play_data,
  prop_passes = 0.5
)
```

Arguments

what_down The current down (1st, 2nd, 3rd, or 4th down)

yards_to_go Number of yards to go until a first down or TD

yards_from_own_goal
 The number of yards from the possession team's own goal

window_yards_from_own_goal
 Precision parameter for "yards_from_own_goal" (a value of 1 means the sampling will occur within plus or minus 1 of the "yards_from_own_goal" value)

play_by_play_data
 A data file from nflscrapR prepped using the prep_pbp_data.R function

prop_passes Proportion of plays that should be pass plays, between 0 and 1, inclusive

Value

A tibble containing lots of info

Examples

```
## Not run:
sample_passes_rushes_strategy(what_down = 3,
                              yards_to_go = 2,
                              yards_from_own_goal = 45,
                              window_yards_from_own_goal = 2,
                              play_by_play_data = reg_pbp_2018,
                              prop_passes = 0.5)

## End(Not run)
```

sample_play

Sample one NFL play according to some strategy

Description

This function will return a sample play from the nflscrapR play-by-play data for a given down, distance, yards from the team's goal, using the usual NFL-coaching strategy.

Index

[down_distance_updater](#), [2](#)

[expected_pts_fourth](#), [3](#)

[prep_pbp_data](#), [4](#)

[sample_drives](#), [4](#)

[sample_fourth_down_strategy](#), [5](#)

[sample_passes_rushes_strategy](#), [6](#)

[sample_play](#), [7](#)