

# Package ‘cnefetools’

March 6, 2026

**Title** Access and Analysis of Brazilian CNEFE Address Data

**Version** 0.2.3

**Description** Download, cache and read municipality-level address data from the Cadastro Nacional de Enderecos para Fins Estatisticos (CNEFE) of the 2022 Brazilian Census, published by the Instituto Brasileiro de Geografia e Estatistica (IBGE)  
<[https://ftp.ibge.gov.br/Cadastro\\_Nacional\\_de\\_Enderecos\\_para\\_Fins\\_Estatisticos/](https://ftp.ibge.gov.br/Cadastro_Nacional_de_Enderecos_para_Fins_Estatisticos/)>. Beyond data access, provides spatial aggregation of addresses, computation of land-use mix indices, and dasymetric interpolation of census tract variables using CNEFE dwelling points as ancillary data. Results can be produced on 'H3' hexagonal grids or user-supplied polygons, and heavy operations leverage a 'DuckDB' backend with extensions for fast, in-process execution.

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.3.3.9000

**URL** <https://github.com/pedreirajr/cnefetools>,  
<https://pedreirajr.github.io/cnefetools/>

**BugReports** <https://github.com/pedreirajr/cnefetools/issues>

**Suggests** ggplot2, kableExtra, knitr, leafsync, mapview, odbr, rmarkdown, scales, testthat (>= 3.0.0), zip

**Config/testthat/edition** 3

**Depends** R (>= 4.1.0)

**Imports** arrow, dplyr, sf, geobr, lifecycle, rlang, h3jsr, tidyr, DBI, duckdb, duckspatial, cli (>= 3.6.0), checkmate, fs, httr2, piggyback

**LazyData** true

**NeedsCompilation** no

**Author** Jorge Ubirajara Pedreira Junior [aut, cre, cph] (ORCID:  
<https://orcid.org/0000-0002-8243-5395>),  
 Bruno Miotto [aut],  
 Kaio Cunha Pedreira [ctb]

**Maintainer** Jorge Ubirajara Pedreira Junior <jorge.ubirajara@ufba.br>

**Repository** CRAN

**Date/Publication** 2026-03-06 09:10:10 UTC

## Contents

clear_cache_muni . . . . .	2
clear_cache_tracts . . . . .	3
cnefe_counts . . . . .	4
cnefe_dictionary . . . . .	6
cnefe_doc . . . . .	6
compute_lumi . . . . .	7
read_cnefe . . . . .	9
tracts_to_h3 . . . . .	10
tracts_to_polygon . . . . .	12
tracts_variables_ref . . . . .	13

**Index** **15**

---

clear_cache_muni	<i>Delete cached CNEFE ZIP files</i>
------------------	--------------------------------------

---

## Description

clear\_cache\_muni() removes CNEFE ZIP files stored in the user cache directory by [cnefe\\_counts\(\)](#), [compute\\_lumi\(\)](#), [tracts\\_to\\_h3\(\)](#), and related functions.

## Usage

```
clear_cache_muni(code_muni = "all", verbose = TRUE)
```

## Arguments

code_muni	Integer or "all". If "all" (default), all cached CNEFE ZIP files are deleted. If a seven-digit IBGE municipality code is provided, only the ZIP file for that municipality is deleted.
verbose	Logical; if TRUE (default), reports the number of files deleted and the space freed.

## Value

Invisibly, the character vector of deleted file paths.

## Examples

```
# Delete all cached CNEFE ZIPs
clear_cache_muni()

# Delete only the ZIP for Lauro de Freitas-BA
clear_cache_muni(2919207)
```

---

clear_cache_tracts	<i>Delete cached census tract Parquet files</i>
--------------------	---

---

## Description

clear\_cache\_tracts() removes census tract Parquet files stored in the user cache directory by [tracts\\_to\\_h3\(\)](#) and [tracts\\_to\\_polygon\(\)](#).

## Usage

```
clear_cache_tracts(uf = "all", verbose = TRUE)
```

## Arguments

uf	"all", a two-letter UF abbreviation (e.g. "BA"), a two-digit numeric state code (e.g. 29L), or a seven-digit IBGE municipality code (e.g. 2919207). If "all" (default), all cached Parquet files are deleted. Otherwise, only the file for the resolved state is deleted.
verbose	Logical; if TRUE (default), reports the number of files deleted and the space freed.

## Value

Invisibly, the character vector of deleted file paths.

## Examples

```
# Delete all cached census tract Parquets
clear_cache_tracts()

# Delete only the Parquet for Bahia (several equivalent calls)
clear_cache_tracts("BA")
clear_cache_tracts(29)
clear_cache_tracts(2919207) # municipality code → state resolved automatically
```

---

cnefe_counts	<i>Count CNEFE address species on a spatial grid</i>
--------------	--

---

### Description

cnefe\_counts() reads CNEFE records for a given municipality, assigns each address point to spatial units (either H3 hexagonal cells or user-provided polygons), and returns per-unit counts of COD\_ESPECIE as addr\_type1 to addr\_type8.

### Usage

```
cnefe_counts(
  code_muni,
  year = 2022,
  polygon_type = c("hex", "user"),
  polygon = NULL,
  crs_output = NULL,
  h3_resolution = 9,
  verbose = TRUE,
  cache = TRUE,
  backend = c("duckdb", "r")
)
```

### Arguments

code_muni	Integer. Seven-digit IBGE municipality code.
year	Integer. The CNEFE data year. Currently only 2022 is supported. Defaults to 2022.
polygon_type	Character. Type of polygon aggregation: "hex" (default) uses an H3 hexagonal grid; "user" uses polygons provided via the polygon parameter.
polygon	An <code>sf::sf</code> object with polygon geometries. Required when <code>polygon_type = "user"</code> . A warning is issued reporting the percentage of CNEFE points covered by the polygon area. If no CNEFE points fall within the polygon, an error is raised.
crs_output	The CRS for the output object. Only used when <code>polygon_type = "user"</code> . Default is NULL, which uses the original CRS of the polygon argument. Can be an EPSG code (e.g., 4326, 31983) or any CRS object accepted by <code>sf::st_transform()</code> .
h3_resolution	Integer. H3 grid resolution (default: 9). Only used when <code>polygon_type = "hex"</code> .
verbose	Logical; if TRUE, prints messages and timing information.
cache	Logical. If TRUE (default), the downloaded ZIP is stored in the user cache directory and reused in future calls. If FALSE, a temporary file is used and deleted after the call.
backend	Character. "duckdb" (default) uses DuckDB with H3/spatial extensions. "r" uses h3jsr and sf in R (slower but no DuckDB dependency).

## Details

The counts in the columns `addr_type1` to `addr_type8` correspond to:

- `addr_type1`: Private household (Domicílio particular)
- `addr_type2`: Collective household (Domicílio coletivo)
- `addr_type3`: Agricultural establishment (Estabelecimento agropecuário)
- `addr_type4`: Educational establishment (Estabelecimento de ensino)
- `addr_type5`: Health establishment (Estabelecimento de saúde)
- `addr_type6`: Establishment for other purposes (Estabelecimento de outras finalidades)
- `addr_type7`: Building under construction or renovation (Edificação em construção ou reforma)
- `addr_type8`: Religious establishment (Estabelecimento religioso)

## Value

An `sf::sf` object containing:

- `id_hex` (when `polygon_type = "hex"`): H3 cell identifier
- Original columns from polygon (when `polygon_type = "user"`)
- `addr_type1` ... `addr_type8`: counts per address type
- `geometry`: polygon geometry

When `polygon_type = "user"`, the output CRS matches the original polygon CRS (or `crs_output` if specified).

## Examples

```
# Count addresses per H3 hexagon (resolution 9)
hex_counts <- cnefe_counts(code_muni = 2929057)

# Count addresses per user-provided polygon (neighborhoods of Lauro de Freitas-BA)
# Using geobr to download neighborhood boundaries
library(geobr)
nei_ldf <- subset(
  read_neighborhood(year = 2022),
  code_muni == 2919207
)
hex_counts <- cnefe_counts(
  code_muni = 2919207,
  polygon_type = "user",
  polygon = nei_ldf
)
```

---

cnefe_dictionary	<i>Open the official CNEFE data dictionary</i>
------------------	--

---

**Description**

Opens the bundled Excel data dictionary in the system's default spreadsheet viewer (e.g., Excel, LibreOffice).

**Usage**

```
cnefe_dictionary(year = 2022)
```

**Arguments**

year	Integer. The CNEFE data year. Currently only 2022 is supported.
------	---

**Value**

Invisibly, the path to the Excel file inside the installed package.

**Examples**

```
cnefe_dictionary()
```

---

cnefe_doc	<i>Open the official CNEFE methodological note</i>
-----------	--

---

**Description**

Opens the bundled PDF methodological document in the system's default PDF viewer.

**Usage**

```
cnefe_doc(year = 2022)
```

**Arguments**

year	Integer. The CNEFE data year. Currently only 2022 is supported.
------	---

**Value**

Invisibly, the path to the PDF file inside the installed package.

**Examples**

```
cnefe_doc()
```

compute\_lumi

*Compute land-use mix indicators on a spatial grid***Description**

compute\_lumi() reads CNEFE records for a given municipality, assigns each address point to spatial units (either H3 hexagonal cells or user-provided polygons), and computes the residential proportion (p\_res) and land-use mix indices, such as the Entropy Index (ei), the Herfindahl-Hirschman Index (hhi), the Balance Index (bal), the Index of Concentration at Extremes (ice), the adapted HHI (hhi\_adp), and the Bidirectional Global-centered Index (bgbi), following the methodology proposed in Pedreira Jr. et al. (2025).

**Usage**

```
compute_lumi(
  code_muni,
  year = 2022,
  polygon_type = c("hex", "user"),
  polygon = NULL,
  crs_output = NULL,
  h3_resolution = 9,
  verbose = TRUE,
  cache = TRUE,
  backend = c("duckdb", "r")
)
```

**Arguments**

code_muni	Integer. Seven-digit IBGE municipality code.
year	Integer. The CNEFE data year. Currently only 2022 is supported. Defaults to 2022.
polygon_type	Character. Type of polygon aggregation: "hex" (default) uses an H3 hexagonal grid; "user" uses polygons provided via the polygon parameter.
polygon	An <code>sf::sf</code> object with polygon geometries. Required when <code>polygon_type = "user"</code> . A warning is issued reporting the percentage of CNEFE points covered by the polygon area. If no CNEFE points fall within the polygon, an error is raised.
crs_output	The CRS for the output object. Only used when <code>polygon_type = "user"</code> . Default is NULL, which uses the original CRS of the polygon argument. Can be an EPSG code (e.g., 4326, 31983) or any CRS object accepted by <code>sf::st_transform()</code> .
h3_resolution	Integer. H3 grid resolution (default: 9). Only used when <code>polygon_type = "hex"</code> .
verbose	Logical; if TRUE, prints messages and timing information.
cache	Logical. If TRUE (default), the downloaded ZIP is stored in the user cache directory and reused in future calls. If FALSE, a temporary file is used and deleted after the call.

backend Character. "duckdb" (default) uses DuckDB + H3 extension reading directly from the cached ZIP. "r" computes H3 in R using h3jsr.

### Value

An `sf::sf` object containing:

**When** `polygon_type = "hex"`:

- `id_hex`: H3 cell identifier
- `p_res`, `ei`, `hhi`, `bal`, `ice`, `hhi_adp`, `bgbi`: land-use mix indicators
- `geometry`: hexagon geometry (CRS 4326)

**When** `polygon_type = "user"`:

- Original columns from polygon
- `p_res`, `ei`, `hhi`, `bal`, `ice`, `hhi_adp`, `bgbi`: land-use mix indicators
- `geometry`: polygon geometry (in the original or `crs_output` CRS)

### References

Pedreira Jr., J. U.; Louro, T. V.; Assis, L. B. M.; Brito, P. L. Measuring land use mix with address-level census data (2025). *engrXiv*. <https://engrxiv.org/preprint/view/5975>

Booth, A.; Crouter, A. C. (Eds.). (2001). *Does It Take a Village? Community Effects on Children, Adolescents, and Families*. Psychology Press.

Song, Y.; Merlin, L.; Rodriguez, D. (2013). Comparing measures of urban land use mix. *Computers, Environment and Urban Systems*, 42, 1–13. <https://doi.org/10.1016/j.compenvurbsys.2013.08.001>

### Examples

```
# Compute land-use mix indices on H3 hexagons
lumi <- compute_lumi(code_muni = 2929057)

# Compute land-use mix indices on user-provided polygons (neighborhoods of Lauro de Freitas-BA)
# Using geobr to download neighborhood boundaries
library(geobr)
nei_ldf <- subset(
  read_neighborhood(year = 2022),
  code_muni == 2919207
)
lumi_poly <- compute_lumi(
  code_muni = 2919207,
  polygon_type = "user",
  polygon = nei_ldf
)
```

---

read_cnefe	<i>Read CNEFE data for a given municipality</i>
------------	---

---

### Description

Downloads and reads the CNEFE CSV file for a given IBGE municipality code, using the official IBGE FTP structure. The function relies on an internal index linking municipality codes to the corresponding ZIP URLs. Data are returned either as an Arrow [Table](#) (default) or as an [sf](#) object with SIRGAS 2000 coordinates.

### Usage

```
read_cnefe(  
  code_muni,  
  year = 2022,  
  verbose = TRUE,  
  cache = TRUE,  
  output = c("arrow", "sf")  
)
```

### Arguments

code_muni	Integer. Seven-digit IBGE municipality code.
year	Integer. The CNEFE data year. Currently only 2022 is supported. Defaults to 2022.
verbose	Logical; if TRUE, print informative messages about download, extraction, and reading steps.
cache	Logical; if TRUE, cache the downloaded ZIP file in a user-level cache directory specific to this package. If FALSE, a temporary file is used and removed after reading.
output	Character. Output format. "arrow" (default) returns an <a href="#">arrow::Table</a> , whereas "sf" returns an <a href="#">sf</a> point object with coordinates built from LONGITUDE / LATITUDE in CRS 4674.

### Details

When output = "arrow" (default), the function does not perform any spatial conversion and simply returns the Arrow table. When output = "sf", the function converts the result to an [sf](#) point object using the LONGITUDE and LATITUDE columns, with CRS EPSG:4674 (SIRGAS 2000), keeping these columns in the final object (remove = FALSE).

### Value

If output = "arrow", an [arrow::Table](#) containing all CNEFE records for the given municipality.

If output = "sf", an [sf](#) object with point geometry in EPSG:4674 (SIRGAS 2000), using the LONGITUDE and LATITUDE columns.

## Caching

When `cache = TRUE` (the default), the downloaded ZIP file is stored in a user-level cache directory specific to this package, created via `tools::R_user_dir()` with `which = "cache"`. This avoids re-downloading the same municipality file across sessions.

When `cache = FALSE`, the ZIP file is stored in a temporary location and removed when the function exits.

## Examples

```
# Read CNEFE data as an Arrow table
cnefe <- read_cnefe(code_muni = 2929057)

# Read as an sf spatial object
cnefe_sf <- read_cnefe(code_muni = 2929057, output = "sf")
```

---

tracts\_to\_h3

*Convert census tract aggregates to an H3 grid using CNEFE points*

---

## Description

`tracts_to_h3()` performs a dasymetric interpolation with the following steps:

1. census tract totals are allocated to CNEFE dwelling points inside each tract;
2. allocated values are aggregated to an H3 grid at a user-defined resolution.

The function uses DuckDB with the spatial and H3 extensions for the heavy work.

## Usage

```
tracts_to_h3(
  code_muni,
  year = 2022,
  h3_resolution = 9,
  vars = c("pop_ph", "pop_ch"),
  cache = TRUE,
  verbose = TRUE
)
```

## Arguments

<code>code_muni</code>	Integer. Seven-digit IBGE municipality code.
<code>year</code>	Integer. The CNEFE data year. Currently only 2022 is supported. Defaults to 2022.
<code>h3_resolution</code>	Integer. H3 resolution (0 to 15). Defaults to 9.

vars	<p>Character vector. Names of tract-level variables to interpolate. Supported variables:</p> <ul style="list-style-type: none"> <li>• pop_ph: population in private households (<i>Domicílios particulares</i>).</li> <li>• pop_ch: population in collective households (<i>Domicílios coletivos</i>).</li> <li>• male: total male population.</li> <li>• female: total female population.</li> <li>• age_0_4, age_5_9, age_10_14, age_15_19, age_20_24, age_25_29, age_30_39, age_40_49, age_50_59, age_60_69, age_70m: population by age group.</li> <li>• race_branca, race_preta, race_amarela, race_parda, race_indigena: population by race/color (<i>cor ou raça</i>).</li> <li>• n_resp: number of household heads (<i>Pessoas responsáveis por domicílios</i>).</li> <li>• avg_inc_resp: average income of the household heads.</li> </ul> <p>For a reference table mapping these variable names to the official IBGE census tract codes and descriptions, see <a href="#">tracts_variables_ref</a>.</p> <p>Allocation rules:</p> <ul style="list-style-type: none"> <li>• pop_ph is allocated only to private dwellings.</li> <li>• pop_ch is allocated only to collective dwellings.</li> <li>• n_resp is allocated only to private dwellings (same rule as pop_ph).</li> <li>• Demographic variables (male, female, age_*, race_*) are allocated to private dwellings when the tract has any; if the tract has zero private dwellings but has collective dwellings, they are allocated to collective.</li> <li>• avg_inc_resp is assigned (not split) to each private dwelling point; tracts with no private dwellings receive no allocation.</li> </ul>
cache	Logical. Whether to use the existing package cache for assets and CNEFE zips.
verbose	Logical. Whether to print step messages and timing.

### Value

An sf object (CRS 4326) with an H3 grid and the requested interpolated variables.

### Examples

```
# Interpolate population to H3 hexagons
hex_pop <- tracts_to_h3(
  code_muni = 2929057,
  vars = c("pop_ph", "pop_ch")
)
```

---

tracts_to_polygon	<i>Convert census tract aggregates to user-provided polygons using CNEFE points</i>
-------------------	---

---

### Description

tracts\_to\_polygon() performs a dasymetric interpolation with the following steps:

1. census tract totals are allocated to CNEFE dwelling points inside each tract;
2. allocated values are aggregated to user-provided polygons (neighborhoods, administrative divisions, custom areas, etc.).

The function uses DuckDB with spatial extensions for the heavy work.

### Usage

```
tracts_to_polygon(
  code_muni,
  polygon,
  year = 2022,
  vars = c("pop_ph", "pop_ch"),
  crs_output = NULL,
  cache = TRUE,
  verbose = TRUE
)
```

### Arguments

code_muni	Integer. Seven-digit IBGE municipality code.
polygon	An <code>sf::sf</code> object with polygon geometries (POLYGON or MULTIPOLYGON). The function will automatically align CRS and issue a warning reporting the percentage of the polygon area that falls outside the municipality.
year	Integer. The CNEFE data year. Currently only 2022 is supported. Defaults to 2022.
vars	Character vector. Names of tract-level variables to interpolate. Supported variables: <ul style="list-style-type: none"> <li>• pop_ph: population in private households (<i>Domicílios particulares</i>).</li> <li>• pop_ch: population in collective households (<i>Domicílios coletivos</i>).</li> <li>• male: total male population.</li> <li>• female: total female population.</li> <li>• age_0_4, age_5_9, age_10_14, age_15_19, age_20_24, age_25_29, age_30_39, age_40_49, age_50_59, age_60_69, age_70m: population by age group.</li> <li>• race_branca, race_preta, race_amarela, race_parda, race_indigena: population by race/color (<i>cor ou raça</i>).</li> <li>• n_resp: number of household heads (<i>Pessoas responsáveis por domicílios</i>).</li> </ul>

- avg\_inc\_resp: average income of the household heads.

For a reference table mapping these variable names to the official IBGE census tract codes and descriptions, see [tracts\\_variables\\_ref](#).

Allocation rules:

- pop\_ph is allocated only to private dwellings.
- pop\_ch is allocated only to collective dwellings.
- n\_resp is allocated only to private dwellings (same rule as pop\_ph).
- Demographic variables (male, female, age\_\*, race\_\*) are allocated to private dwellings when the tract has any; if the tract has zero private dwellings but has collective dwellings, they are allocated to collective.
- avg\_inc\_resp is assigned (not split) to each private dwelling point; tracts with no private dwellings receive no allocation.

crs_output	The CRS for the output object. Default is NULL, which uses the original CRS of the polygon argument. Can be an EPSG code (e.g., 4326, 31983) or any CRS object accepted by <code>sf::st_transform()</code> .
cache	Logical. Whether to use the existing package cache for assets and CNEFE zips.
verbose	Logical. Whether to print step messages and timing.

### Value

An sf object with the user-provided polygons and the requested interpolated variables. The output CRS matches the original polygon CRS (or crs\_output if specified).

### Examples

```
# Interpolate population to user-provided polygons (neighborhoods of Lauro de Freitas-BA)
# Using geobr to download neighborhood boundaries
library(geobr)
nei_ldf <- subset(
  read_neighborhood(year = 2022),
  code_muni == 2919207
)
poly_pop <- tracts_to_polygon(
  code_muni = 2919207,
  polygon = nei_ldf,
  vars = c("pop_ph", "pop_ch")
)
```

---

tracts\_variables\_ref *Reference table for tracts\_to\_\* function variables*

---

### Description

A data frame that maps variable names used in `tracts_to_h3()` and `tracts_to_polygon()` to the official IBGE census tract dataset codes and descriptions.

**Usage**

```
tracts_variables_ref
```

**Format**

A data frame with 22 rows and 4 columns:

**var\_cnefetools** Variable name used in cnefetools functions.

**code\_var\_ibge** Official IBGE variable code from the census tract aggregates.

**desc\_var\_ibge** Official IBGE variable description in Portuguese.

**table\_ibge** Name of the IBGE census tract table where the variable is found (Domicilios, Pessoas, or ResponsavelRenda).

**Source**

IBGE - Censo Demografico 2022, Agregados por Setores Censitarios.

**Examples**

```
# View the reference table  
tracts_variables_ref
```

```
# Find the IBGE code for a specific variable  
tracts_variables_ref[tracts_variables_ref$var_cnefetools == "pop_ph", ]
```

# Index

## \* datasets

tracts\_variables\_ref, [13](#)

arrow::Table, [9](#)

clear\_cache\_muni, [2](#)

clear\_cache\_tracts, [3](#)

cnefe\_counts, [4](#)

cnefe\_counts(), [2](#)

cnefe\_dictionary, [6](#)

cnefe\_doc, [6](#)

compute\_lumi, [7](#)

compute\_lumi(), [2](#)

read\_cnefe, [9](#)

sf, [9](#)

sf::sf, [4](#), [5](#), [7](#), [8](#), [12](#)

sf::st\_transform(), [4](#), [7](#), [13](#)

Table, [9](#)

tools::R\_user\_dir(), [10](#)

tracts\_to\_h3, [10](#)

tracts\_to\_h3(), [2](#), [3](#), [13](#)

tracts\_to\_polygon, [12](#)

tracts\_to\_polygon(), [3](#), [13](#)

tracts\_variables\_ref, [11](#), [13](#), [13](#)