

Package ‘datagovsgR’

January 15, 2023

Type Package

Title Call Real Time APIs from Data Gov Singapore

Version 1.0.0

Author Clinton Wong <cwxy.clinton@gmail.com>

Maintainer Clinton Wong <cwxy.clinton@gmail.com>

Description A wrapper for the Data.gov.sg developer resources, which provide real time and historical information, ranging from carpark availability to weather forecasts. The functions makes the API calls for a given date and time, before returning the relevant information in a data frame. All APIs are supported, less the IPOS one which is not returning any data. Relevant information can be found here <<https://data.gov.sg/developer>>.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.1

Imports httr, data.table, dplyr, stringr, purrr

Suggests knitr, rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

Config/testthat/edition 3

NeedsCompilation no

Repository CRAN

Date/Publication 2023-01-15 17:00:05 UTC

R topics documented:

carpark_availability	2
parse_api_date	2
parse_api_output	3
psi	3
psi_summary	4
taxi_availability	5
traffic_images	5

uvi	6
weather_forecast	6
weather_reading	7

Index	8
--------------	----------

carpark_availability	<i>Carpark Availability</i>
----------------------	-----------------------------

Description

This functions calls upon the carpark availability API from data.gov.sg and processes the returning page.

Usage

```
carpark_availability(date_time = "")
```

Arguments

date_time Defaults to current (SGD) time. Format: YYYY-MM-DDTHH:MM:SS

Value

A dataframe containing the carpark id, type, last update, total lots, and current lots.

Examples

```
carpark_availability()
carpark_availability(date = "2019-06-05T10:10:10")
carpark_availability(date = "2018-12-01T19:32:56")
```

parse_api_date	<i>ParseApiDate</i>
----------------	---------------------

Description

Helper function to check if the date was input correctly before returning a url to be called by the GET function. Also returns an error if the API called can only provide data for a specific date-time, and not date only.

Usage

```
parse_api_date(api, input_date = "", summary)
```

Arguments

api	The api to be called, i.e. api = "environment/air-temperature"
input_date	Defaults to current (SGD) time. Format: YYYY-MM-DDTHH:MM:SS or YYYY-MM-DD
summary	Returns an error if the user inputs a date only time when not supported by the API.

Value

A url to be called by the API.

parse_api_output	<i>ParseApiOutput</i>
------------------	-----------------------

Description

Helper function to extract the content returned from the API. Returns the status code otherwise.

Usage

```
parse_api_output(inputcontent)
```

Arguments

inputcontent	Takes the output of the GET function, runs an error check and returns the parsed output.
--------------	--

Value

The extracted content if not error has occurred. Otherwise, the error message is returned.

psi	<i>PSI(PoullutantStandardIndex)</i>
-----	-------------------------------------

Description

This functions calls upon the PSI API from data.gov.sg and returns a data frame of the different measures of the PSI across 5 different areas in Singapore and the overall measure for the given data-time. This data provided by the API is updated hourly.

Usage

```
psi(date_time = "")
```

Arguments

date_time Defaults to current (SGD) time. Format: YYYY-MM-DDTHH:MM:SS

Details

Note that this function is different from the 'PSI_summary' function, which returns the PSI measures for a given day.

Value

A dataframe containing various PSI measures across 5 corners of Singapore

Examples

```
psi()
psi(date = "2019-11-08T17:30:00")
psi(date = "2018-01-04T09:16:17")
```

psi_summary

PSI(PollutantStandardIndex) Summary

Description

This functions calls upon the PSI API from data.gov.sg and returns a data frame of the different measures of the PSI across 5 different areas in Singapore and the overall measure for the given date. This data provided by the API is updated hourly.

Usage

```
psi_summary(date = "")
```

Arguments

date Defaults to current (SGD) time. Format: YYYY-MM-DDTHH:MM:SS

Details

Note that this function is different from the 'PSI' function, which returns the PSI measures for a given date-time.

Value

A dataframe containing various PSI measures across 5 corners of Singapore and time of day. Dependent on the data available, not all results range from 0000 to 2300.

Examples

```
psi_summary()
psi_summary(date = "2019-11-08")
psi_summary(date = "2018-01-04")
```

taxi_availability	<i>Taxi Availability</i>
-------------------	--------------------------

Description

This functions calls upon the taxi availability API from data.gov.sg and returns a data frame of the locations of all available taxis.

Usage

```
taxi_availability(date_time = "")
```

Arguments

date_time Defaults to current (SGD) time. Format: YYYY-MM-DDTHH:MM:SS

Value

A dataframe containing the longitude and latitude values of available taxis.

Examples

```
taxi_availability()  
taxi_availability(date = "2019-08-07T09:30:00")  
taxi_availability(date = "2018-06-05T13:45:00")
```

traffic_images	<i>Traffic Images</i>
----------------	-----------------------

Description

This functions calls upon the Traffic Images API from data.gov.sg and returns links to images of live traffic conditions along expressways and Woodlands & Tuas Checkpoints, including details of the camera location. This data provided by the API is updated every minute.

Usage

```
traffic_images(date_time = "")
```

Arguments

date_time Defaults to current (SGD) time. Format: YYYY-MM-DDTHH:MM:SS

Value

A dataframe containing links to the traffic images of current traffic conditions

Examples

```
traffic_images()
traffic_images(date = "2022-07-01T15:32:45")
traffic_images(date = "2021-02-11T14:11:07")
```

uvi	<i>UVI(Ultra-violet Index)</i>
-----	--------------------------------

Description

This functions calls upon the UVI API from data.gov.sg and returns a data frame of the different measures of the UVI across Singapore and returns the closest UVI value presently and for the past few hours. This data provided by the API is updated hourly.

Usage

```
uvi(date_time = "")
```

Arguments

date_time Defaults to current (SGD) time. Format: YYYY-MM-DDTHH:MM:SS

Value

A dataframe containing the current and past hourly UVI

Examples

```
uvi()
uvi(date = "2022-09-03T16:45:23")
uvi(date = "2021-12-06T11:01:55")
```

weather_forecast	<i>Weather Forecast</i>
------------------	-------------------------

Description

This functions calls upon the weather forecast API from data.gov.sg and returns a data frame containing different metrics of the forecast. 2-hour, 24-hour and 4-day forecasts are available. This data provided by the API is updated half-hourly.

Usage

```
weather_forecast(date_time = "", forecast = "2-hour")
```

Arguments

date_time Defaults to current (SGD) time. Format: YYYY-MM-DDTHH:MM:SS
 forecast Defaults to "2-hour". Also available for "24-hour" and "4-day"

Value

A dataframe the forecast for a given date and time, and forecast period.

Examples

```
weather_forecast()
weather_forecast(date = "2019-11-08T17:30:00", forecast = "24-hour")
weather_forecast(date = "2018-01-04T09:16:17", forecast = "4-day")
```

weather_reading	<i>Weather Reading</i>
-----------------	------------------------

Description

This functions calls upon the weather reading API from data.gov.sg and returns a list containing the air temperature, rainfall, relative humidity, wind direction and speed across Singapore. Data is updated every 5 minutes for the rainfall API, and every half minute for the other 4 API from NEA.

Usage

```
weather_reading(date_time = "")
```

Arguments

date_time Defaults to current (SGD) time. Format: YYYY-MM-DDTHH:MM:SS

Details

This API takes slightly longer than the other APIs in the package as 5 APIs are wrapped within this function.

Value

A dataframe containing various weather readings from weather stations

Examples

```
weather_reading()
weather_reading(date = "2019-11-08T17:30:00")
weather_reading(date = "2018-01-04T09:16:17")
```

Index

- * **PSI**
 - psi, [3](#)
 - psi_summary, [4](#)
- * **Traffic**
 - traffic_images, [5](#)
- * **UVI**
 - uvi, [6](#)
- * **carpark**
 - carpark_availability, [2](#)
- * **taxi**
 - taxi_availability, [5](#)
- * **weather**
 - weather_forecast, [6](#)
 - weather_reading, [7](#)

carpark_availability, [2](#)

parse_api_date, [2](#)
parse_api_output, [3](#)
psi, [3](#)
psi_summary, [4](#)

taxi_availability, [5](#)
traffic_images, [5](#)

uvi, [6](#)

weather_forecast, [6](#)
weather_reading, [7](#)